

## ADDITIONAL SHEET

CCR: # 05-0117

Rev:

Originator: Dominick P. Iascone, Jr.

Telephone: 301 925 1012

Office: 3000X

Title of Change: Patch\_7.03\_ESDT.09\_ASTER

### DAAC Install Instruction for Patch\_7.03\_ESDT.09\_ASTER

Clearcase:

Build one SUN5.8 tar file from the REL7 baseline for the following packages:

.EcDsSdValids.pkg  
.EcDmDBValids.pkg

Build one IRIX65 tar file from the REL7 baseline for the following package:

.EcInDBScripts.pkg

Build one SUN5.8 tar file from the REL7 baseline for the following files:

/ecs/formal/ESDT/As:

DsESDTAsAST\_07.002.desc  
DsESDTAsAST\_07.003.desc  
DsESDTAsAST\_07XT.002.desc  
DsESDTAsAST\_07XT.003.desc  
DsESDTAsAST\_09XT.002.desc  
DsESDTAsAST\_09XT.003.desc

Please name the tar file Patch\_7.03\_ESDT.09\_ASTER

Please deliver the tar file to PVC and VATC

Please deliver the tar file to the EDC DAAC.

This patch fixes the following NCR:

St=T, Sv=5, Bug id = ECSed42026, Subsystem = OPS\_ESDT

Desc: New ASTER ESDTs and modified Level 2 ESDTs needed

### DAAC Install Instruction

**Note:** This patch includes new and updateable ESDTs. There are no new Ingest scripts or valids for these ESDTs. SDSRV valids and DMS valids are included to insure that the most current versions have been delivered. The installation of these packages may be skipped at the DAAC's discretion.

## ADDITIONAL SHEET

CCR: # 05-0117

Telephone: 301 925 1012

Title of Change: Patch\_7.03\_ESDT.09\_ASTER

Rev:

Office: 3000X

Originator: Dominick P. Iascone, Jr.

### A. PreInstallation

1. Create a staging area with a SOL8 subdirectory.
2. Copy Patch\_7.03\_ESDT.09\_ASTER\*sun5.8\*.tar to /<staging\_area>/SOL8 subdirectory and untar it using the tar command.

### B. Installation

1. There are new and updateable ESDTs for this Delivery. Use the following list to determine which type of ESDT install to perform:

DsESDTAsAST_07.002.desc	(updateable)
DsESDTAsAST_07.003.desc	(updateable)
DsESDTAsAST_07XT.002.desc	(new)
DsESDTAsAST_07XT.003.desc	(new)
DsESDTAsAST_09XT.002.desc	(new)
DsESDTAsAST_09XT.003.desc	(new)

2. Copy the ESDT descriptor files into the descriptor source directory as follows:

- a) Logon to the SDSRV host
- b) cd /usr/ecs/<MODE>/CUSTOM/data/ESS/
- c) cp -p /<staging\_area>/SOL8/<descriptor file names> .
- d) chmod 644 <descriptor file names>

3. The new ESDTs are not updateable. To install the new ESDTs, do the following:

- a) Using the SDSRV GUI, install the ESDT descriptors.

4. To install the updateable ESDTs, follow either procedure a. or b. below.

- a) The ESDTs can be Updated using the Science Data Server GUI. In that case, the SDSRV needs to be killed and brought up in maintenance mode.
- b) The ESDTs can also be updated by running the following script:

EcDsUpdateESDTStart <MODE> <descriptor file names>

It is not necessary to bring the SDSRV up in maintenance mode when you use the script. Look at the EcDsUpdateESDT.ALOG file for any error messages.

5. If necessary, use the STMGT GUI to add new Volume Groups for the ESDTs.

### C. PostInstallation

N/A